

MATERIAL SAFETY DATA SHEET

WALL MAJESTY ACRYLIC DISTEMPER



SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME - WALL MAJESTY ACRYLIC DISTEMPER
PRODUCT USE – INTERIOR WALLS, CONCRETE SURFACE.
COMPANY NAME – TITAN PAINTS AND CHEMICALS (P)LIMITED
DOOR NO. – 305, POLLACHI MAIN ROAD, SUNDARAPURAM
COIMBATORE – 641021
Email id: dpdrd@titanpaints.in, businessdevelopment@titanpaints.in
Phone: 0422-2672894

SECTION 2 – COMPOSITION OF INGREDIENTS

PIGMENT	Pigments used for the color and coverage
RESIN	To bind the pigment and additives together and to provide the gloss
SOLVENT	Water used as the mixing media
ADDITIVES	Used for wetting and dispersion, viscosity control & for other different properties

SECTION 3 – HAZARDOUS IDENTIFICATION

MAIN HAZARDS : As it is Waterbase Product , NO Significant Hazard

SECTION 4 – FIRST AID MEASURES

SYMPTOMS	CAUSES	ACTIONS
SKIN CONTACT	No Symptoms	Wash immediately with sufficient amount of soap and water
EYE CONTACT	May Irritation and Redness	Wash the eye with running water for 15 minutes
INGESTION	May Soreness And Redness of Mouth And Throat	Wash out mouth with water
INHALATION	No Symptoms	Medical Prescription

SECTION 5 – FIRE FIGHTING MEASURES

FLAMMABLE : NO
EXTINGUISHING MEDIA : Carbon Dioxide, Dry Chemical Powder
EXPOSURE HAZARDS : No Significant Hazard

SECTION 6 – ACCIDENTAL RELEASE MEASURES

MATERIAL SAFETY DATA SHEET

Issued by: TITAN PAINTS AND CHEMICALS (P) LIMITED
Door No 305, Pollachi Main Road, Sundarapuram, Coimbatore - 641021.India
Phone No: 0422 2672894.

ENVIRONMENTAL PRECAUTIONS : Do not discharge into drains or rivers, contain the spillage using bunding
Clean up procedures ;



SECTION 7 – HANDLING AND STORAGE

HANDLING PROCEDURES: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed when not in use. Do not breathe vapors, mist or gas.

CONDITIONS FOR SAFE STORAGE: Keep away from freezing – product stability will affect. Keep away from sunlight, protect from frost, and keep away from children.

SUITABLE PACKAGING : Keep in original packing.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING MEASURES: No Significant Hazard
RESPIRATORY PROTECTION : Respiratory Protection not required
HAND PROTECTION : PVC gloves
EYE PROTECTION : safety glasses
SKIN PROTECTION : Protective clothing

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
COLOR	As per requirement
ODOUR	Ammonia & Copolymer Emulsion
EVAPORATION RATE	Slow
OXIDISING	Non-Oxidizing
SOLUBILITY	Miscible with water
VISCOSITY	Thixotropic
BOILING POINT (°C)	N.A.
MELTING POINT (°C)	N.A.
FLAMABILITY LIMITS %	Non-Flammable
FLASH POINT(°C)	N.A.
VAPOUR PRESSURE	N.A.
pH	8-10
SPECIFIC GRAVITY	1.63±0.03
% SOLID	63 ± 2

MATERIAL SAFETY DATA SHEET

Issued by: **TITAN PAINTS AND CHEMICALS (P) LIMITED**

Door No 305, Pollachi Main Road, Sundarapuram, Coimbatore - 641021.India

Phone No: 0422 2672894.

**titan****SECTION 10 – STABILITY AND REACTIVITY**

STABILITY	Stable Under Normal Conditions
CONDITIONS TO AVOID	Direct Contact With Heat
SHELF LIFE	1 YEAR from date of packing
STORAGE TEMPERATURE	10-30°C

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY :	N.A.
CHRONIC TOXICITY :	N.A.
IRRITANCY OF PRODUCT:	Prolonged or repeated contact can defeat the skin and lead to irritation, cracking.
SKIN SENSITIZATION	Non hazardous effect
RESPIRATORY SENSITIZATION	Non hazardous effect
CARCINOGENISITY	N.A.
REPRODUCTIVE TOXICITY	N.A.
TERATOGENECITY	N.A.
EMBROTOXICITY	N.A.
MUTAGENECITY	N.A.

SECTION 12 – ECOLOGICAL INFORMATION

MOBILITY	Non-volatile, Soluble in Water
PERSISTENCE AND DEGRADIBILITY	Biodegradable
BIO-DEACCUMULATIVE POTENTIAL	N.A.
OTHER ADVERSE EFFECT	Negligible ecotoxicity

SECTION 13 – DISPOSAL CONSIDERATION

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers

MATERIAL SAFETY DATA SHEETIssued by: **TITAN PAINTS AND CHEMICALS (P) LIMITED**

Door No 305, Pollachi Main Road, Sundarapuram, Coimbatore - 641021.India

Phone No: 0422 2672894.



titan

SECTION 14 – TRANSPORT INFORMATION

PIN	
SHIPPING NAME	As Per Shipping Requirements
TRANSPORT HAZARDS CLASS	Class 3
PACKING GROUP	
ENVIRONMENTAL HAZARDS	N.A.

SECTION 15 – REGULATORY INFORMATION

HAZARD SYMBOL	No Significant Hazard
SAFETY PHRASES	Keep Container tightly closed & in cool place, when not in use

SECTION 16 – OTHER INFORMATION

LEGAL DISCLAIMER: The information in this data sheet is given to the best of our knowledge based on laboratory testing and practical experience. However, as the product is often used under conditions beyond our control, we cannot guarantee anything but the quality of the product itself. We reserve the right to change the given data without notice.

MATERIAL SAFETY DATA SHEET

Issued by: **TITAN PAINTS AND CHEMICALS (P) LIMITED**

Door No 305, Pollachi Main Road, Sundarapuram, Coimbatore - 641021.India

Phone No: 0422 2672894.